

Technical drawing of a mechanical assembly, showing multiple views and dimensions in millimeters (mm).

**Top View (Left):** Shows a circular component with a central hole of diameter  $\phi 3.0$ . Dimensions include 11.0, 8.0, 9.5, 4.5, 27.5, and 3.0.

**Top View (Right):** Shows a circular component with a central hole of diameter  $\phi 10.0$  and an outer hole of diameter  $\phi 8.0$ . Dimensions include 3.5, 1.5, 4.0, and 2.0. A label "M6" is present.

**Front View (Left):** Shows a vertical assembly with a circular base. Dimensions include 56.0, 17.0, 14.0, 10.5, 13.0, 22.5, and 39.0.

**Front View (Right):** Shows a vertical assembly with a circular base. Dimensions include 11.0, 1.5, 32.0, 103.5, 120.0, 100.0, 20.0, 31.0, 24.0, 12.0, 1.0, 60.0, 1.5, and 45.0.

**Side View (Left):** Shows a vertical assembly with a circular base. Dimensions include 11.0, 1.5, 32.0, 103.5, 120.0, 100.0, 20.0, 31.0, 24.0, 12.0, 1.0, 60.0, 1.5, and 45.0.

**Side View (Right):** Shows a vertical assembly with a circular base. Dimensions include 11.0, 1.5, 32.0, 103.5, 120.0, 100.0, 20.0, 31.0, 24.0, 12.0, 1.0, 60.0, 1.5, and 45.0.

**Bottom View (Left):** Shows a circular component with a central hole of diameter  $\phi 3.0$ . Dimensions include 11.0, 8.0, 9.5, 4.5, 27.5, and 3.0.

**Bottom View (Right):** Shows a circular component with a central hole of diameter  $\phi 10.0$  and an outer hole of diameter  $\phi 8.0$ . Dimensions include 3.5, 1.5, 4.0, and 2.0. A label "M6" is present.

**Top View (Bottom):** Shows a circular component with a central hole of diameter  $\phi 37.5$  and an outer hole of diameter  $\phi 15.0$ . Dimensions include 6.4, 17.5, 7.5, 12.5, 26.0, 48.0, and 45.0.